# antibodies - online.com







## anti-Osteocalcin antibody (AA 11-98)



Image



#### Overview

Quantity:	100 μL
Target:	Osteocalcin (BGLAP)
Binding Specificity:	AA 11-98
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Osteocalcin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**


Purpose:	Polyclonal Antibody to Osteocalcin (OC)
Immunogen:	Recombinant Osteocalcin (OC) corresdonding to Ala11~Thr98 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against OC. It has been selected for its ability to recognize OC in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

#### **Target Details**

Target:	Osteocalcin (BGLAP)	
---------	---------------------	--

### **Target Details**

Alternative Name:	Osteocalcin (BGLAP Products)
Background:	BGLAP, OT, BGP, Bone Gla Protein, Bone Gamma-Carboxyglutamate Protein, Gamma-carboxyglutamic acid-containing protein
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



#### **Western Blotting**

Image 1. Detection of Recombinant OC, Rat using Polyclonal Antibody to Osteocalcin (OC)