antibodies -online.com





anti-ICAM2 antibody (AA 27-248)

3 Images



Go to Product page

Overview

Quantity:	100 μL
Target:	ICAM2
Binding Specificity:	AA 27-248
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ICAM2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Intercellular Adhesion Molecule 2 (ICAM2)
Immunogen:	Recombinant Intercellular Adhesion Molecule 2 (ICAM2) corresdonding to Val27~Gly248 (Accession # P35330)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ICAM2. It has been selected for its ability to recognize ICAM2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	ICAM2
Alternative Name:	Intercellular Adhesion Molecule 2 (ICAM2 Products)
Background:	CD102

Application Details

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	Optimal working dilutions must be determined by end user.
	Immunocytochemistry: 5-20 μg/mL
	Immunohistochemistry: 5-20 μg/mL
Application Notes:	Western blotting: 0.5-2 μg/mL


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of ICAM2 in Human Hela cell lysate using Polyclonal Antibody to Intercellular Adhesion Molecule 2 (ICAM2)



Western Blotting

Image 2. Detection of Recombinant ICAM2, Mouse using Polyclonal Antibody to Intercellular Adhesion Molecule 2 (ICAM2)



Immunohistochemistry

Image 3. #VALUE!