antibodies .- online.com







anti-Aquaporin 4 antibody (AA 179-314)



Images



Go to Product page	
--------------------	--

0	1 /	-	K	/1	-	1 A
u	\/	\vdash	ı ۱	/ I	\vdash	1/1

Quantity:	100 μL
Target:	Aquaporin 4 (AQP4)
Binding Specificity:	AA 179-314
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Aquaporin 4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Aquaporin 4 (AQP4)
Immunogen:	Recombinant Aquaporin 4 (AQP4) corresdonding to Asp179~Asp314 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against AQP4. It has been selected for its ability to recognize AQP4 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: Aquaporin 4 (AQP4)

Target Details


Alternative Name:	Aquaporin 4 (AQP4 Products)
Background:	HMIWC2, MIWC, WCH4, Mercurial-insensitive water channel
Pathways:	Sensory Perception of Sound

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-
	20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of AQP4 in Rat Cerebrum Tissue using Polyclonal Antibody to Aquaporin 4 (AQP4)



Immunohistochemistry

Image 2. Detection of AQP4 in Rat Kidney Tissue using Polyclonal Antibody to Aquaporin 4 (AQP4)



Western Blotting

Image 3. Detection of Recombinant AQP4, Rat using Polyclonal Antibody to Aquaporin 4 (AQP4)