# antibodies -online.com







**Images** 



Go to Product page

| _ |   |   |    |    |          |   |
|---|---|---|----|----|----------|---|
| 0 | V | 0 | r٧ | /[ | $\Theta$ | M |
|   |   |   |    |    |          |   |


| Quantity:            | 100 μL   |  |
|----------------------|--|--|
| Target:              | ADIPOQ   |  |
| Binding Specificity: | AA 108-244   |  |
| Reactivity:          | Human  |  |
| Host:                | Rabbit   |  |
| Clonality:           | Polyclonal   |  |
| Conjugate:           | This ADIPOQ antibody is un-conjugated  |  |
| Application:         | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |  |

### **Product Details**

| Troduct Details |  |  |  |
|-----------------|--|--|--|
| Purpose:        | Polyclonal Antibody to Adiponectin (ADPN)  |  |  |
| Immunogen:      | Recombinant Adiponectin (ADPN) corresdonding to Ala108~Asn244 with N-terminal His Tag  |  |  |
| Isotype:        | IgG  |  |  |
| Specificity:    | The antibody is a rabbit polyclonal antibody raised against ADPN. It has been selected for its ability to recognize ADPN in immunohistochemical staining and western blotting. |  |  |
| Purification:   | Antigen-specific affinity chromatography followed by Protein A affinity chromatography   |  |  |
| Target Details  |  |  |  |
| Target:         | ADIPOQ   |  |  |


# **Target Details**

| Alternative Name:   | Adiponectin (ADIPOQ Products)  |  |
|---------------------|--|--|
| Background:         | GBP28, ApM1, AdipoQ, Acrp30, ACDC, APM1, C1Q And Collagen Domain Containing, Adipocyte           |  |
|                     | Complement-Related Protein Of 30 KDa, Adipose Most Abundant Gene Transcript 1                    |  |
| Application Details |  |  |
| Application Notes:  | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-           |  |
|                     | 20 μg/mL Optimal working dilutions must be determined by end user.                               |  |
| Comment:            | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |  |
|                     | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious          |  |
|                     | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |  |
|                     | date under appropriate storage condition.  |  |
| Restrictions:       | For Research Use only  |  |
| Handling            |  |  |
| Format:             | Liquid   |  |
| Buffer:             | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.                                 |  |
| Preservative:       | ProClin  |  |
| Precaution of Use:  | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be               |  |
|                     | handled by trained staff only.   |  |
| Storage:            | 4 °C,-20 °C  |  |
| Storage Comment:    | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without  |  |
|                     | detectable loss of activity. Avoid repeated freeze-thaw cycles.                                  |  |
| Expiry Date:        | 24 months  |  |
|                     |  |  |




## **Immunohistochemistry**

**Image 1.** Detection of ADPN in Human Liver Tissue using Polyclonal Antibody to Adiponectin (ADPN)



## **Western Blotting**

Image 2. Detection of Recombinant ADP, Human using Polyclonal Antibody to Adiponectin (ADPN)



# **Immunohistochemistry**

**Image 3.** Detection of ADPN in Human Cerebrum Tissue using Polyclonal Antibody to Adiponectin (ADPN)