antibodies -online.com





anti-Caspase 9 antibody (AA 1-200)



Images



Go to Product page

()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	Caspase 9 (CASP9)	
Binding Specificity:	AA 1-200	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Caspase 9 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Caspase 9 (CASP9)	
Immunogen:	Recombinant Caspase 9 (CASP9) corresdonding to Met1~His200 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against CASP9. It has been selected for its ability to recognize CASP9 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Cow, Human, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target:	Caspase 9 (CASP9)	
Alternative Name:	Caspase 9 (CASP9 Products)	
Background:	APAF3, ICE-LAP6, MCH6, Apoptosis-Related Cysteine Peptidase, Cysteinyl Aspartate Specific Proteinases 9, Apoptotic protease-activating factor 3, ICE-like apoptotic protease 6	
Pathways:	MAPK Signaling, RTK Signaling, Apoptosis, Caspase Cascade in Apoptosis, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Positive Regulation of Endopeptidase Activity	

Application Details

Application Notes:

	Immunohistochemistry: 5-30 μg/mL	
	Immunocytochemistry: 5-30 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	

Western blotting: $0.5-3 \mu g/mL$


Handling

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Western Blotting

Image 1. Detection of CASP9 in 3T3-L1 cell lysate using Polyclonal Antibody to Caspase 9 (CASP9)



Immunohistochemistry

Image 2. Detection of CASP9 in Mouse Pancreas Tissue using Polyclonal Antibody to Caspase 9 (CASP9)



Immunohistochemistry

Image 3. Detection of CASP9 in Mouse Kidney Tissue using Polyclonal Antibody to Caspase 9 (CASP9)

Please check the product details page for more images. Overall 5 images are available for ABIN7432247.