antibodies -online.com





anti-Caspase 9 antibody (AA 1-200)



Images



do to i roddot pag	Go to	Prod	luct	page
--------------------	-------	------	------	------

_					
U	V	er	V	Ie	W

Quantity:	100 μL
Target:	Caspase 9 (CASP9)
Binding Specificity:	AA 1-200
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Caspase 9 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Caspase 9 (CASP9)
Immunogen:	Recombinant Caspase 9 (CASP9) corresdonding to Met1~His200 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CASP9. It has been selected for its ability to recognize CASP9 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Caspase 9 (CASP9)
Alternative Name:	Caspase 9 (CASP9 Products)
Background:	APAF3, ICE-LAP6, MCH6, Apoptosis-Related Cysteine Peptidase, Cysteinyl Aspartate Specific Proteinases 9, Apoptotic protease-activating factor 3, ICE-like apoptotic protease 6
Pathways:	MAPK Signaling, RTK Signaling, Apoptosis, Caspase Cascade in Apoptosis, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Positive Regulation of Endopeptidase Activity

Application Details


Application Notes:

	1:370-1500 Immunohistochemistry: 5-20 μg/mL
	1:37-150 Immunocytochemistry: 5-20 µg/mL
	1:37-150 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Western blotting: $0.5-2 \mu g/mL$


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of CASP9 in Rat Stomach Tissue using Polyclonal Antibody to Caspase 9 (CASP9)



Western Blotting

Image 2. Detection of Recombinant CASP9, Rat using Polyclonal Antibody to Caspase 9 (CASP9)



Immunohistochemistry

Image 3. Detection of CASP9 in Rat Uterus Tissue using Polyclonal Antibody to Caspase 9 (CASP9)

Please check the product details page for more images. Overall 5 images are available for ABIN7432250.