antibodies -online.com





anti-C1QBP antibody (AA 76-282)



Images



0	1 /	-	K	/1	-	1 A
u	\/	\vdash	I \	/ I	\vdash	1/1


Quantity:	100 μL	
•		
Target:	C1QBP	
Binding Specificity:	AA 76-282	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This C1QBP antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP),	
	Immunocytochemistry (ICC)	
Аррисанон.		

Product Details

Purpose:	Polyclonal Antibody to Complement component 1 Q subcomponent-binding protein, mitochondrial (C1QBP)
Immunogen:	Recombinant Complement component 1 Q subcomponent-binding protein, mitochondrial (C1QBP) corresdonding to Thr76~Gln282 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against C1QBP. It has been selected for its ability to recognize C1QBP in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target Details			
Target:	C1QBP		
Alternative Name:	Complement component 1 Q subcomponent-binding protein, mitochondrial (C1QBP Products)		
Background:	HABP1, GC1QBP, SF2p32, GC1Q-R, GC1qR, P32, Hyaluronan Binding Protein 1, Splicing Factor SF2-Associated Protein, ASF/SF2-associated p32		
Pathways:	Ribonucleoprotein Complex Subunit Organization, Ribosome Assembly		
Application Details			
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.		
Expiry Date:	24 months		




Immunohistochemistry

Image 1. Detection of C1QBP in Human Lung cancer Tissue using Polyclonal Antibody to Complement component 1 Q subcomponent-binding protein, mitochondrial (C1QBP)



Immunofluorescence

Image 2. Detection of C1QBP in Hela cells using Polyclonal Antibody to Complement component 1 Q subcomponent-binding protein, mitochondrial (C1QBP)



Flow Cytometry

Image 3. Detection of C1QBP in U937 human histiocytic lymphoma cell line using Polyclonal Antibody to Complement component 1 Q subcomponent-binding protein, mitochondrial (C1QBP)

Please check the product details page for more images. Overall 9 images are available for ABIN7432316.