

Datasheet for ABIN7432331
anti-GSTM2 antibody (AA 3-218)

3 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	GSTM2
Binding Specificity:	AA 3-218
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GSTM2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Purpose:	Polyclonal Antibody to Glutathione S Transferase Mu 2 (GSTM2)
Immunogen:	Recombinant Glutathione S Transferase Mu 2 (GSTM2) corresponding to Met3~Lys218 (Accession # P28161)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GSTM2. It has been selected for its ability to recognize GSTM2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	GSTM2
Alternative Name:	Glutathione S Transferase Mu 2 (GSTM2 Products)
Background:	GST-M2, GST4, GSTM2-2, GTHMUS
Pathways:	Negative Regulation of Transporter Activity

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:380-1500 Immunohistochemistry: 5-20 µg/mL 1:38-150 Immunocytochemistry: 5-20 µg/mL 1:38-150 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of GSTM2 in Human Kidney Tissue using Polyclonal Antibody to Glutathione S Transferase Mu 2 (GSTM2)



Western Blotting

Image 2. Detection of Recombinant GSTm2, Human using Polyclonal Antibody to Glutathione S Transferase Mu 2 (GSTM2)



Immunohistochemistry

Image 3. Detection of GSTM2 in Human Cerebellum Tissue using Polyclonal Antibody to Glutathione S Transferase Mu 2 (GSTM2)