# antibodies -online.com





# anti-TLR2 antibody (AA 47-245)



**Images** 



Go to Product page

_						
( )	V	ρ	rv	16	$\supset I$	Λ

Quantity:	100 μL
Target:	TLR2
Binding Specificity:	AA 47-245
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TLR2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

### **Product Details**

Purpose:	Polyclonal Antibody to Toll Like Receptor 2 (TLR2)	
Immunogen:	Recombinant Toll Like Receptor 2 (TLR2) corresdonding to Pro47~Gly245 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TLR2. It has been selected for its ability to recognize TLR2 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

## **Target Details**


Target:	TLR2	
Alternative Name:	Toll Like Receptor 2 (TLR2 Products)	
Background:	CD282, TIL4, Toll/interleukin-1 receptor-like protein 4	
Pathways:	TLR Signaling, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, Toll-Like Receptors Cascades	

# Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL
	1:280-1100 Immunohistochemistry: 5-20 μg/mL
	1:28-110 Immunocytochemistry: 5-20 μg/mL
	1:28-110 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

- I arialing		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




#### **Immunohistochemistry**

Image 1. Detection of TLR2 in Porcine Spleen Tissue using Polyclonal Antibody to Toll Like Receptor 2 (TLR2)



#### **Immunohistochemistry**

**Image 2.** Detection of TLR2 in Porcine Cardiac Muscle Tissue using Polyclonal Antibody to Toll Like Receptor 2 (TLR2)



## **Immunohistochemistry**

Image 3. Detection of TLR2 in Porcine Lung Tissue using Polyclonal Antibody to Toll Like Receptor 2 (TLR2)

Please check the product details page for more images. Overall 6 images are available for ABIN7432340.