



[Go to Product page](#)

Datasheet for ABIN7432346
anti-TLR2 antibody (AA 595-760)

2 Images

Overview

Quantity:	100 µL
Target:	TLR2
Binding Specificity:	AA 595-760
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TLR2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Toll Like Receptor 2 (TLR2)
Immunogen:	Recombinant Toll Like Receptor 2 (TLR2) corresponding to Cys595~Thr760 (Accession # E9PTD9) with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against TLR2. It has been selected for its ability to recognize TLR2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	TLR2
---------	------

Target Details


Alternative Name:	Toll Like Receptor 2 (TLR2 Products)
Background:	CD282, TIL4, Toll/interleukin-1 receptor-like protein 4
Pathways:	TLR Signaling , Activation of Innate immune Response , Cellular Response to Molecule of Bacterial Origin , Positive Regulation of Immune Effector Process , Production of Molecular Mediator of Immune Response , Toll-Like Receptors Cascades

Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:150-600 Immunohistochemistry: 5-20 µg/mL 1:15-60 Immunocytochemistry: 5-20 µg/mL 1:15-60 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of TLR2 in Rat Spleen Tissue using Polyclonal Antibody to Toll Like Receptor 2 (TLR2)



Western Blotting

Image 2. Detection of Recombinant TLR2, Rat using Polyclonal Antibody to Toll Like Receptor 2 (TLR2)