# antibodies -online.com





# anti-CCL24 antibody (AA 27-119)

3 Images



Go to Product page

$\sim$			
	$  \backslash / \cap$	r\/I	$\triangle V$

Quantity:	100 μL	
Target:	CCL24	
Binding Specificity:	AA 27-119	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CCL24 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

# **Product Details**


Purpose:	Polyclonal Antibody to Myeloid Progenitor Inhibitory Factor 2 (MPIF2)	
Immunogen:	Recombinant Myeloid Progenitor Inhibitory Factor 2 (MPIF2) corresdonding to Val27~Val119 (Accession # Q9JKC0)	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against MPIF2. It has been selected for its ability to recognize MPIF2 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

# **Target Details**

Target: CCL24


# **Target Details**

Target Details		
Alternative Name:	Myeloid Progenitor Inhibitory Factor 2 (CCL24 Products)	
Background:	CCL24, SCYA24, Ckb-6, Eotaxin-2, Chemokine C-C-Motif Ligand 24, Eosinophil chemotactic protein 2, Small Inducible Cytokine Subfamily A(Cys-Cys)Member 24	
Pathways:	Regulation of Actin Filament Polymerization	
Application Details		
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunocytochemistry in formalin fixed cells: $5-20~\mu g/mL$ Immunohistochemistry in formalin fixed frozen section: $5-20~\mu g/mL$ Immunohistochemistry in paraffin section: $5-20~\mu g/mL$ Enzyme-linked Immunosorbent Assay: $0.05-2~\mu g/mL$ Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




### **Immunohistochemistry**

**Image 1.** Detection of MPIF2 in Mouse Stomach Tissue using Polyclonal Antibody to Myeloid Progenitor Inhibitory Factor 2 (MPIF2)



### **Western Blotting**

**Image 2.** Detection of Recombinant MPIF2, Mouse using Polyclonal Antibody to Myeloid Progenitor Inhibitory Factor 2 (MPIF2)



# **Immunohistochemistry**

**Image 3.** Detection of MPIF2 in Mouse Small intestine Tissue using Polyclonal Antibody to Myeloid Progenitor Inhibitory Factor 2 (MPIF2)