# antibodies .- online.com









#### Overview

Quantity:	100 μL
Target:	APOE
Binding Specificity:	AA 16-175
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This APOE antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Purpose:	Polyclonal Antibody to Apolipoprotein E (APOE)
Immunogen:	Recombinant Apolipoprotein E (APOE) corresdonding to Cys16~Arg175 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against APOE. It has been selected for its ability to recognize APOE in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## **Target Details**

Target: APOE

## **Target Details**


Alternative Name:	Apolipoprotein E (APOE Products)
Background:	Apo-E, AD2, Apoprotein, Alzheimer Disease 2(E4-Associated,Late Onset
Pathways:	Regulation of Cell Size, Lipid Metabolism

# **Application Details**

Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 µg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




## **Immunohistochemistry**

**Image 1.** Detection of APOE in Porcine Liver Tissue using Polyclonal Antibody to Apolipoprotein E (APOE)



## **Western Blotting**

**Image 2.** Detection of Recombinant APOE, Porcine using Polyclonal Antibody to Apolipoprotein E (APOE)



## **Immunohistochemistry**

**Image 3.** Detection of APOE in Porcine Kidney Tissue using Polyclonal Antibody to Apolipoprotein E (APOE)