antibodies -online.com







anti-PROC antibody

2 Images



Overview

Quantity:	100 μL
Target:	PROC
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PROC antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Target:

Purpose:	Polyclonal Antibody to Protein C (PROC)
Immunogen:	Recombinant Protein C (PROC)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PROC. It has been selected for its
	ability to recognize PROC in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

PROC


Target Details

otein C (PROC Products) al Protein O-C, VKDPC, PC, Vitamin K Dependent Protein C, Inactivator Of Coagulation Factors Va And
O-C. VKDPC, PC. Vitamin K Dependent Protein C. Inactivator Of Coagulation Factors Va And
5, 5, Separation of material of cougulation actors variation
a, Autoprothrombin IIA, Blood coagulation factor XIV, Activation peptide
stern blotting: 0.5-2 µg/mL
00-2000 Immunohistochemistry: 5-20 μg/mL
0-200 Immunocytochemistry: 5-20 μg/mL
0-200 Optimal working dilutions must be determined by end user.
e thermal stability is described by the loss rate. The loss rate was determined by accelerated
rmal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
gradation and precipitation were observed. The loss rate is less than 5% within the expiration
e under appropriate storage condition.
Research Use only
uid
1M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Clin
s product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
ndled by trained staff only.
C,-20 °C
re at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
ectable loss of activity. Avoid repeated freeze-thaw cycles.
months



Immunohistochemistry

Image 1. Detection of PROC in Human Liver Tissue using Polyclonal Antibody to Protein C (PROC)



Western Blotting

Image 2. Detection of Recombinant PROC, Human using Polyclonal Antibody to Protein C (PROC)