antibodies -online.com





anti-PROC antibody (AA 197-436)

2 Images



Go to Product page

Overview

Quantity:	100 μL
Target:	PROC
Binding Specificity:	AA 197-436
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PROC antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Protein C (PROC)
Immunogen:	Recombinant Protein C (PROC) corresdonding to Lys197~Lys436 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PROC. It has been selected for its ability to recognize PROC in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Expiry Date:


24 months

rarget betails	
Target:	PROC
Alternative Name:	Protein C (PROC Products)
Target Type:	Viral Protein
Background:	PRO-C, VKDPC, PC, Vitamin K Dependent Protein C, Inactivator Of Coagulation Factors Va And
	VIIIa, Autoprothrombin IIA, Blood coagulation factor XIV, Activation peptide
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:400-1600 Immunohistochemistry: 5-20 μg/mL
	1:40-160 Immunocytochemistry: 5-20 μg/mL
	1:40-160 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.



Immunohistochemistry

Image 1. Detection of PROC in Mouse Liver Tissue using Polyclonal Antibody to Protein C (PROC)



Western Blotting

Image 2. Detection of Recombinant PROC, Mouse using Polyclonal Antibody to Protein C (PROC)