# antibodies - online.com







## anti-DKK1 antibody (AA 36-260)



### **Images**



( )	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL
Target:	DKK1
Binding Specificity:	AA 36-260
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DKK1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

#### **Product Details**

Purpose:	Polyclonal Antibody to Dickkopf Related Protein 1 (DKK1)
Immunogen:	Recombinant Dickkopf Related Protein 1 (DKK1) corresdonding to Val36~Asn260 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against DKK1. It has been selected for its ability to recognize DKK1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

#### **Target Details**

Storage Comment:

Expiry Date:

Target:	DKK1
Alternative Name:	Dickkopf Related Protein 1 (DKK1 Products)
Background:	SK, Dickkopf Homolog 1(Xenopus Laevis)
Pathways:	WNT Signaling, Regulation of Muscle Cell Differentiation, Positive Regulation of fat Cell Differentiation

Pathways:	WNT Signaling, Regulation of Muscle Cell Differentiation, Positive Regulation of fat Cell	
	Differentiation	
Application Details		
Application Notes:	Western blotting: 0.5-2 μg/mL	
	Immunohistochemistry: 5-20 μg/mL	
	Immunocytochemistry: 5-20 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	

detectable loss of activity. Avoid repeated freeze-thaw cycles.


24 months

Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without




#### **Western Blotting**

**Image 1.** Detection of DKK1 in Porcine Cerebrum lysate using Polyclonal Antibody to Dickkopf Related Protein 1 (DKK1)



#### **Western Blotting**

**Image 2.** Detection of Recombinant DKK1, Rat using Polyclonal Antibody to Dickkopf Related Protein 1 (DKK1)



#### **Immunohistochemistry**

**Image 3.** Detection of DKK1 in Rat Uterus Tissue using Polyclonal Antibody to Dickkopf Related Protein 1 (DKK1)