antibodies -online.com







Overview

Images



Go to Product page

Quantity:	100 μL
Target:	PDHA1
Binding Specificity:	AA 30-390
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP),

Immunocytochemistry (ICC)

Product Details


Purpose:	Polyclonal Antibody to Pyruvate dehydrogenase alpha 1 (PDHA1)
Immunogen:	Recombinant Pyruvate dehydrogenase alpha 1 (PDHA1) corresdonding to Phe30~Ser390 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PDHA1. It has been selected for its ability to recognize PDHA1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: PDHA1


Target Details

l arget Details	
Alternative Name:	Pyruvate dehydrogenase alpha 1 (PDHA1 Products)
Background:	PDHCE1A, PHE1A, PHE1-A, PDHa, PDH-A, Pyruvate Dehydrogenase(lipoamide)Alpha 1,
	Pyruvate Dehydrogenase E1 Component Subunit Alpha, Aomatic Form, Mitochondrial, Pyruvate
	Dehydrogenase Alpha
Pathways:	Warburg Effect
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	1:500-2000 Immunohistochemistry: 5-20 µg/mL
	1:50-200 Immunocytochemistry: 5-20 µg/mL
	1:50-200 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of PDHA1 in Human ECV304 cell lysate using Polyclonal Antibody to Pyruvate dehydrogenase alpha 1 (PDHA1)



Western Blotting

Image 2. Detection of Recombinant PDHa, Human using Polyclonal Antibody to Pyruvate dehydrogenase alpha 1 (PDHA1)



Immunofluorescence

Image 3. Detection of PDHA1 in Human HepG2 cell using Polyclonal Antibody to Pyruvate dehydrogenase alpha 1 (PDHA1)

Please check the product details page for more images. Overall 7 images are available for ABIN7432574.