# antibodies -online.com







**Images** 



# Overview

Quantity:	100 μL
Target:	Bcl-2 (BCL2)
Binding Specificity:	AA 2-211
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Bcl-2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

# **Product Details**


Purpose:	Polyclonal Antibody to B-Cell Leukemia/Lymphoma 2 (Bcl2)
Immunogen:	Recombinant B-Cell Leukemia/Lymphoma 2 (Bcl2) corresdonding to Ala2~Asp211 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against Bcl2. It has been selected for its ability to recognize Bcl2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Pig, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

# **Target Details**

Target:	Bcl-2 (BCL2)
Alternative Name:	B-Cell Leukemia/Lymphoma 2 (BCL2 Products)
Background:	B-Cell CLL/Lymphoma 2
Pathways:	MAPK Signaling, PI3K-Akt Signaling, Apoptosis, Caspase Cascade in Apoptosis, Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Skeletal Muscle Fiber Development,
	Autophagy, Smooth Muscle Cell Migration, Negative Regulation of intrinsic apoptotic Signaling
Application Details	


Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




# **Immunohistochemistry**

**Image 1.** Detection of Bcl2 in Human Lymphoma Tissue using Polyclonal Antibody to B-Cell Leukemia/Lymphoma 2 (Bcl2)



### **Western Blotting**

Image 2. Detection of Recombinant Bcl2, Human using Polyclonal Antibody to B-Cell Leukemia/Lymphoma 2 (Bcl2)



# **Immunohistochemistry**

**Image 3.** Detection of Bcl2 in Human Tonsil Tissue using Polyclonal Antibody to B-Cell Leukemia/Lymphoma 2 (Bcl2)

Please check the product details page for more images. Overall 7 images are available for ABIN7432577.