

# Datasheet for ABIN7432751 anti-RANKL antibody (AA 79-247)

100 μL

# 1 Image



#### Go to Product page


$\sim$			
	ve	r\/	٨
$\cup$	V C	1 V I	٧V

Quantity:

Target:	RANKL (TNFSF11)	
Binding Specificity:	AA 79-247	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RANKL antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	
Product Details		
Purpose:	Polyclonal Antibody to Receptor Activator Of Nuclear Factor Kappa B Ligand (RANkL)	
Immunogen:	Recombinant Receptor Activator Of Nuclear Factor Kappa B Ligand (RANkL) corresdonding to	
	Ile79~Ile247 with N-terminal His Tag	
Isotype:		
Isotype: Specificity:	Ile79~Ile247 with N-terminal His Tag	
	Ile79~Ile247 with N-terminal His Tag  IgG  The antibody is a rabbit polyclonal antibody raised against RANkL. It has been selected for its	

## **Target Details**

rarget Details		
Target:	RANKL (TNFSF11)	
Alternative Name:	RANKL (TNFSF11 Products)	
Background:	CD254, TNFSF11, ODF, OPGL, TRANCE, HRANKL2, SOdf, Tumor Necrosis	
	Factor(ligand)superfamily Member 11, TNF-related activation-induced cytokine	
UniProt:	014788	
Pathways:	NF-kappaB Signaling	
Application Details		
Application Notes:	Western blotting: 0.01-2 μg/mL,Immunohistochemistry: 5-20 μg/mL,Immunocytochemistry: 5-	
	20 μg/mL,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.5 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



### **Western Blotting**

**Image 1.** Detection of Recombinant RANkL, Human using Polyclonal Antibody to Receptor Activator Of Nuclear Factor Kappa B Ligand (RANkL)