

Datasheet for ABIN7432805

anti-ENOS antibody (APC)





\sim			
	ve	r\/	٨
\cup	V C	1 V I	٧V

Quantity:	100 μL	
Target:	ENOS (NOS3)	
Reactivity:	Rabbit	
Host:	Guinea Pig	
Clonality:	Polyclonal	
Conjugate:	This ENOS antibody is conjugated to APC	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunocytochemistry (ICC), Immunoprecipitation (IP)	

Product Details

Purpose:	Polyclonal Antibody to Endothelial NOS (eNOS)	
Immunogen:	Recombinant Endothelial NOS (eNOS) corresdonding to N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a cavia polyclonal antibody raised against eNOS. It has been selected for its ability to recognize eNOS in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	ENOS (NOS3)	

Target Details


Alternative Name:	eNOS (NOS3 Products)	
Background:	NOS3, ECNOS, NOS III, E-NOS, C-NOS, ENOS, CNOS, Constitutive NOS, Nitric Oxide Synthase 3, Endothelial	
Pathways:	ACE Inhibitor Pathway, Regulation of Systemic Arterial Blood Pressure by Hormones, Cellular Response to Molecule of Bacterial Origin, Myometrial Relaxation and Contraction, Signaling Events mediated by VEGFR1 and VEGFR2, Thromboxane A2 Receptor Signaling, VEGFR1 Specific Signals, VEGF Signaling	

Application Details

Application Notes:	Western blotting: 0.5-5 μ g/mL,Immunohistochemistry: 5-50 μ g/mL,Immunocytochemistry: 5-
	50 μg/mL,Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Concentration:	500 μg/mL	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of eNOS in Human 304 cell lysate using Polyclonal Antibody to Endothelial NOS (eNOS)