# antibodies -online.com





## anti-Angiopoietin 4 antibody (AA 271-491)

2 Images



## Overview

Quantity:	100 μL
Target:	Angiopoietin 4 (ANGPT4)
Binding Specificity:	AA 271-491
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Angiopoietin 4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## **Product Details**

Purpose:	Polyclonal Antibody to Angiopoietin-3 (ANG-3)
Immunogen:	Recombinant Angiopoietin-3 (ANG-3) corresdonding to Phe271~Asp491 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ANG-3. It has been selected for its ability to recognize ANG-3 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Goat, Mouse, Rabbit, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


## **Target Details**

Target:	Angiopoietin 4 (ANGPT4)
Alternative Name:	Angiopoietin-3 (ANGPT4 Products)
Background:	ANG3, ARP1, ANGPTL1, ANGPT3, AngY, Angioarrestin, Angiopoietin Like Protein 1, Angiopoietin-related protein 1
Pathways:	RTK Signaling

## **Application Details**


Application Betaile	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
i iai iuiii iy	

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



## **Immunohistochemistry**

**Image 1.** Detection of ANG-3 in Human Kidney Tissue using Polyclonal Antibody to Angiopoietin-3 (ANG-3)



## **Western Blotting**

Image 2. Detection of Recombinant ANG-3, Human using Polyclonal Antibody to Angiopoietin-3 (ANG-3)