# antibodies - online.com







# anti-Endoglin antibody (AA 26-136)



# **Images**



		1 3 -

( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μL	
Target:	Endoglin (ENG)	
Binding Specificity:	AA 26-136	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Endoglin antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

#### **Product Details**


Target:

Purpose:	Polyclonal Antibody to Endoglin (ENG)
Immunogen:	Recombinant Endoglin (ENG) corresdonding to Glu26~Pro136 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ENG. It has been selected for its ability to recognize ENG in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

Endoglin (ENG)


## **Target Details**

thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expidate under appropriate storage condition.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C		
Application Details  Application Notes: Western blotting: 0.5-2 µg/mL. Immunohistochemistry: 5-20 µg/mL   Immunocytochemistry: 5-20 µg/mL   Optimal working dilutions must be determined by end user.  Comment: The thermal stability is described by the loss rate. The loss rate was determined by accele thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the exp date under appropriate storage condition.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage: 4 °C,-20 °C  Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Alternative Name:	Endoglin (ENG Products)
Application Notes:  Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.  Comment:  The thermal stability is described by the loss rate. The loss rate was determined by accele thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expediate under appropriate storage condition.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C, -20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Background:	CD105, END, HHT1, ORW, ORW1, Osler-Rendu-Weber Syndrome 1
Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.  Comment: The thermal stability is described by the loss rate. The loss rate was determined by accele thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the explicate under appropriate storage condition.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage: 4 °C,-20 °C  Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Application Details	
Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.  Comment: The thermal stability is described by the loss rate. The loss rate was determined by accele thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expidate under appropriate storage condition.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage: 4 °C,-20 °C  Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Application Notes:	Western blotting: 0.5-2 μg/mL
Optimal working dilutions must be determined by end user.  Comment: The thermal stability is described by the loss rate. The loss rate was determined by accele thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expidate under appropriate storage condition.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage: 4 °C,-20 °C  Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.		Immunohistochemistry: 5-20 μg/mL
Comment:  The thermal stability is described by the loss rate. The loss rate was determined by accele thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expidate under appropriate storage condition.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.		Immunocytochemistry: 5-20 μg/mL
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expidate under appropriate storage condition.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.		Optimal working dilutions must be determined by end user.
degradation and precipitation were observed. The loss rate is less than 5% within the expidate under appropriate storage condition.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
date under appropriate storage condition.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.		thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.		degradation and precipitation were observed. The loss rate is less than 5% within the expiration
Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.		date under appropriate storage condition.
Format:  Liquid  Buffer:  PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative:  Sodium azide  Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Restrictions:	For Research Use only
Buffer: PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.  Preservative: Sodium azide  Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage: 4 °C,-20 °C  Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Handling	
Preservative:  Sodium azide  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Format:	Liquid
Precaution of Use:  This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.  Storage:  4 °C,-20 °C  Storage Comment:  Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
should be handled by trained staff only.  Storage: 4 °C,-20 °C  Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Preservative:	Sodium azide
Storage: 4 °C,-20 °C  Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.	Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
Storage Comment: Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year with detectable loss of activity. Avoid repeated freeze-thaw cycles.		should be handled by trained staff only.
detectable loss of activity. Avoid repeated freeze-thaw cycles.	Storage:	4 °C,-20 °C
	Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
Expiry Date: 24 months		detectable loss of activity. Avoid repeated freeze-thaw cycles.
	Expiry Date:	24 months



#### **Immunohistochemistry**

Image 1. Detection of ENG in Rat Colon Tissue using Polyclonal Antibody to Endoglin (ENG)



#### **Western Blotting**

Image 2. Detection of Recombinant ENG, Rat using Polyclonal Antibody to Endoglin (ENG)



### **Immunohistochemistry**

Image 3. Detection of ENG in Rat Skeletal muscle Tissue using Polyclonal Antibody to Endoglin (ENG)

Please check the product details page for more images. Overall 7 images are available for ABIN7432976.