antibodies - online.com







anti-ANGPTL4 antibody (AA 182-394)



Images



()	ve	K\ /		A .
	\cup	1 V/	-	V۷


Quantity:	100 μL	
Target:	ANGPTL4	
Binding Specificity:	AA 182-394	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ANGPTL4 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details

Purpose:	Polyclonal Antibody to Angiopoietin Like Protein 4 (ANGPTL4)	
Immunogen:	Recombinant Angiopoietin Like Protein 4 (ANGPTL4) corresdonding to Arg182~Leu394 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ANGPTL4. It has been selected for its ability to recognize ANGPTL4 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

9		
Target:	ANGPTL4	
Alternative Name:	Angiopoietin Like Protein 4 (ANGPTL4 Products)	
Background:	ARP4, FIAF, HFARP, NL2, PGAR, Pp1158, Fasting-Induced Adipose Factor, Hepatic Angiopoietin-Related Protein, Hepatic Fibrinogen/Angiopoietin-Related Protein	
Pathways:	Regulation of Lipid Metabolism by PPARalpha	
Application Details		
Application Notes:	Western blotting: $0.5-2~\mu g/mL$ Immunohistochemistry: $5-20~\mu g/mL$ Immunocytochemistry: $5-20~\mu g/mL$ Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Western Blotting

Image 1. Detection of ANGPTL4 in Rat Kidney lysate using Polyclonal Antibody to Angiopoietin Like Protein 4 (ANGPTL4)



Western Blotting

Image 2. Detection of Recombinant ANGPTL4, Rat using Polyclonal Antibody to Angiopoietin Like Protein 4 (ANGPTL4)



Immunohistochemistry

Image 3. Detection of ANGPTL4 in Rat Cardiac Muscle Tissue using Polyclonal Antibody to Angiopoietin Like Protein 4 (ANGPTL4)

Please check the product details page for more images. Overall 5 images are available for ABIN7433021.