antibodies -online.com





anti-GPC1 antibody (AA 343-545)





Overview

Quantity:	100 μL
Target:	GPC1
Binding Specificity:	AA 343-545
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GPC1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Glypican 1 (GPC1)
Immunogen:	Recombinant Glypican 1 (GPC1) corresdonding to Gly343~Val545 (Accession # Q9QZF2)
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against GPC1. It has been selected for its ability to recognize GPC1 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

l arget Details	
Target:	GPC1
Alternative Name:	Glypican 1 (GPC1 Products)
Background:	Glypican Proteoglycan 1, Secreted glypican-1
Pathways:	Glycosaminoglycan Metabolic Process, Regulation of Muscle Cell Differentiation
Application Details	
Application Notes:	Western blotting: 0.2-2 μg/mL
	1:250-2500 Immunohistochemistry: 5-20 µg/mL

	1:250-2500 Immunohistochemistry: 5-20 µg/mL
	1:25-100 Immunocytochemistry: 5-20 μg/mL
	1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

. Tanamag	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of recombinant GPC1 using Polyclonal Antibody to Glypican 1 (GPC1)