# antibodies -online.com





## anti-TXNIP antibody (AA 30-381)



**Images** 



Go to Product page

$\sim$							
	1//	$\Box$	$r \setminus$	/ [	$\bigcirc$	1	٨,

Quantity:	100 μL	
Target:	TXNIP	
Binding Specificity:	AA 30-381	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TXNIP antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

### **Product Details**


Purpose:	Polyclonal Antibody to Thioredoxin-interacting Protein (TXNIP)	
Immunogen:	Recombinant Thioredoxin-interacting Protein (TXNIP) corresdonding to Arg30~Glu381 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against TXNIP. It has been selected for its ability to recognize TXNIP in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

## Target Details

arget: TXNIP	
--------------	--


## **Target Details**

Thioredoxin-interacting Protein (TXNIP Products)
TBP2, HHCPA78, THIF, VDUP1, Thioredoxin Binding Protein 2, Vitamin D3-Upregulated Protein
1, Upregulated By 1,25-Dihydroxyvitamin D-3
Protein targeting to Nucleus, Platelet-derived growth Factor Receptor Signaling, Inflammasome
Western blotting: 0.5-2 μg/mL
1:130-520 Immunohistochemistry: 5-20 μg/mL
1:13-52 Immunocytochemistry: 5-20 μg/mL
1:13-52 Optimal working dilutions must be determined by end user.
The thermal stability is described by the loss rate. The loss rate was determined by accelerated
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
degradation and precipitation were observed. The loss rate is less than 5% within the expiration
date under appropriate storage condition.
For Research Use only
Liquid
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
handled by trained staff only.
4 °C,-20 °C
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
detectable loss of activity. Avoid repeated freeze-thaw cycles.




## **Immunohistochemistry**

**Image 1.** Detection of TXNIP in Mouse Brain Tissue using Polyclonal Antibody to Thioredoxin-interacting Protein (TXNIP)



#### **Western Blotting**

**Image 2.** Detection of TXNIP in Mouse Intestine Tissue using Polyclonal Antibody to Thioredoxin-interacting Protein (TXNIP)



### **Western Blotting**

**Image 3.** Detection of Recombinant TBP2, Mouse using Polyclonal Antibody to Thioredoxin-interacting Protein (TXNIP)

Please check the product details page for more images. Overall 8 images are available for ABIN7433201.