

Datasheet for ABIN7433207  
**anti-VGF antibody (AA 330-449)**[Go to Product page](#)

## 4 Images

## Overview

Quantity:	100 µL
Target:	VGF
Binding Specificity:	AA 330-449
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VGF antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to VGF Nerve Growth Factor Inducible (VGF)
Immunogen:	Recombinant VGF Nerve Growth Factor Inducible (VGF) corresponding to Asp330~Pro449 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against VGF. It has been selected for its ability to recognize VGF in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details


Target:	VGf
Alternative Name:	VGf Nerve Growth Factor Inducible ( <a href="#">VGf Products</a> )
Background:	NERP1, NERP2, Neuro-Endocrine Specific Protein VGf, Neuroendocrine Regulatory Peptide
Pathways:	<a href="#">Hormone Transport</a> , <a href="#">Carbohydrate Homeostasis</a>

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### Immunohistochemistry

**Image 1.** Detection of VGF in Human Intestine Tissue using Polyclonal Antibody to VGF Nerve Growth Factor Inducible (VGF)



#### Western Blotting

**Image 2.** Detection of Recombinant VGF, Human using Polyclonal Antibody to VGF Nerve Growth Factor Inducible (VGF)



#### Immunohistochemistry

**Image 3.** Detection of VGF in Rat Pancreas Tissue using Polyclonal Antibody to VGF Nerve Growth Factor Inducible (VGF)

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7433207.