
antibodies - online.com







anti-CNTN2 antibody (AA 604-771)





Overview

Quantity:	100 μL
Target:	CNTN2
Binding Specificity:	AA 604-771
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CNTN2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunocytochemistry (ICC)

Product Details

Target:


Purpose:	Polyclonal Antibody to Contactin 2 (CNTN2)
Immunogen:	Recombinant Contactin 2 (CNTN2) corresdonding to Val604~Phe771
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against CNTN2. It has been selected for its ability to recognize CNTN2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography
Target Details	

CNTN2

Target Details	
Alternative Name:	Contactin 2 (CNTN2 Products)
Background:	AXT, TAG-1, TAX, TAX1, Axonin-1, Axonal glycoprotein TAG-1, Transient axonal glycoprotein 1
Pathways:	Regulation of G-Protein Coupled Receptor Protein Signaling, Regulation of Cell Size
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

Image 1. Detection of Recombinant CNTN2, Human using Polyclonal Antibody to Contactin 2 (CNTN2)