

Datasheet for ABIN7433258
anti-Chromogranin A antibody (AA 15-148)[Go to Product page](#)

6 Images

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | Chromogranin A (CHGA) |
| Binding Specificity: | AA 15-148 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This Chromogranin A antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Immunohistochemistry (Frozen Sections) (IHC (fro)) |

Product Details

| | |
|---------------|--|
| Purpose: | Polyclonal Antibody to Chromogranin A (CHGA) |
| Immunogen: | Recombinant Chromogranin A (CHGA) corresponding to Gln15~Gly148 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against CHGA. It has been selected for its ability to recognize CHGA in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details

| | |
|---------|-----------------------|
| Target: | Chromogranin A (CHGA) |
|---------|-----------------------|

Target Details


| | |
|-------------------|--|
| Alternative Name: | Chromogranin A (CHGA Products) |
| Background: | CGA, SP-I, Parathyroid Secretory Protein 1, Vasostatin, Pancreastatin, Parastatin, Pituitary secretory protein I |
| Pathways: | Negative Regulation of Hormone Secretion , cAMP Metabolic Process , Regulation of G-Protein Coupled Receptor Protein Signaling |

Application Details

| | |
|--------------------|---|
| Application Notes: | Western blotting: 0.5-5 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |


Handling

| | |
|--------------------|---|
| Format: | Liquid |
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Immunohistochemistry

Image 1. Detection of CHGA in Human Colon Tissue using Polyclonal Antibody to Chromogranin A (CHGA)



Western Blotting

Image 2. Detection of CHGA in Human Serum using Polyclonal Antibody to Chromogranin A (CHGA)



Western Blotting

Image 3. Detection of Recombinant CHGA, Human using Polyclonal Antibody to Chromogranin A (CHGA)

Please check the [product details page](#) for more images. Overall 6 images are available for ABIN7433258.