antibodies -online.com





anti-GOT1 antibody (AA 1-413)





Go to Product page

Overview


| Quantity: | 100 μL |
|----------------------|--|
| Target: | GOT1 |
| Binding Specificity: | AA 1-413 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This GOT1 antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Aspartate Aminotransferase (AST) |
|-------------------|--|
| Immunogen: | Recombinant Aspartate Aminotransferase (AST) corresdonding to Met1~Gln413 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against AST. It has been selected for its ability to recognize AST in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |


Target Details

| rangerberane | |
|---------------------|--|
| Target: | GOT1 |
| Alternative Name: | Aspartate Aminotransferase (GOT1 Products) |
| Background: | CCAT, AAT, ASAT, SGOT, GOT1, Cysteine transaminase, cytoplasmic, Transaminase A, |
| | Aspartate Transaminase 1,Cytoplasmic, Glutamic-Oxaloacetic Transaminase 1,Soluble |
| Pathways: | Hepatitis C, Monocarboxylic Acid Catabolic Process, Methionine Biosynthetic Process |
| Application Details | |
| Application Notes: | Western blotting: 0.5-2 μg/mL |
| | 1:250-1000 Immunohistochemistry: 5-20 μg/mL |
| | 1:25-100 Immunocytochemistry: 5-20 μg/mL |
| | 1:25-100 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which |
| | should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without |
| | detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |
| | |




Immunohistochemistry

Image 1. Detection of AST in Human Liver Tissue using Polyclonal Antibody to Aspartate Aminotransferase (AST)



Western Blotting

Image 2. Detection of Recombinant AST, Human using Polyclonal Antibody to Aspartate Aminotransferase (AST)



Immunohistochemistry

Image 3. Detection of AST in Human Liver cancer Tissue using Polyclonal Antibody to Aspartate Aminotransferase (AST)

Please check the product details page for more images. Overall 4 images are available for ABIN7433261.