# antibodies -online.com





# anti-GOT1 antibody (AA 1-413)





Go to Product page

# Overview


Quantity:	100 μL
Target:	GOT1
Binding Specificity:	AA 1-413
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GOT1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

# **Product Details**

Purpose:	Polyclonal Antibody to Aspartate Aminotransferase (AST)
Immunogen:	Recombinant Aspartate Aminotransferase (AST) corresdonding to Met1~Gln413 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against AST. It has been selected for its ability to recognize AST in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


# **Target Details**

rarget betails	
Target:	GOT1
Alternative Name:	Aspartate Aminotransferase (GOT1 Products)
Background:	CCAT, AAT, ASAT, SGOT, GOT1, Cysteine transaminase, cytoplasmic, Transaminase A,
	Aspartate Transaminase 1, Cytoplasmic, Glutamic-Oxaloacetic Transaminase 1, Soluble
Pathways:	Hepatitis C, Monocarboxylic Acid Catabolic Process, Methionine Biosynthetic Process
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




# **Immunohistochemistry**

**Image 1.** Detection of AST in Rat Liver Tissue using Polyclonal Antibody to Aspartate Aminotransferase (AST)



### **Immunofluorescence**

**Image 2.** Detection of AST in Hela cells using Polyclonal Antibody to Aspartate Aminotransferase (AST)



# **Immunohistochemistry**

Image 3. Detection of AST in Rat Testis Tissue using Polyclonal Antibody to Aspartate Aminotransferase (AST)

Please check the product details page for more images. Overall 6 images are available for ABIN7433267.