antibodies -online.com





anti-Fibrinogen beta Chain antibody (AA 45-491)

2 Images



Go to Product page

_							
0	V	е	r١	/1	е	V	1

Quantity:	100 μL	
Target:	Fibrinogen beta Chain (FGB)	
Binding Specificity:	AA 45-491	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Fibrinogen beta Chain antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Purpose:	Polyclonal Antibody to Fibrinogen Beta Chain (FGB)	
Immunogen:	Recombinant Fibrinogen Beta Chain (FGB) corresdonding to Gly45~Gln491 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against FGB. It has been selected for its ability to recognize FGB in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Pig	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

Expiry Date:

Target Details				
Target:	Fibrinogen beta Chain (FGB)			
Alternative Name:	Fibrinogen Beta Chain (FGB Products)			
Background:	FG-B, Fibrinopeptide B, Fibrinogen Beta			
Application Details				
Application Notes:	Western blotting: 0.5-2 μg/mL			
	Immunohistochemistry: 5-20 μg/mL			
	Immunocytochemistry: 5-20 μg/mL			
	Optimal working dilutions must be determined by end user.			
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated			
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious			
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration			
	date under appropriate storage condition.			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be			
	handled by trained staff only.			
Storage:	4 °C,-20 °C			
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without			


detectable loss of activity. Avoid repeated freeze-thaw cycles.

24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant FGB, Human using Polyclonal Antibody to Fibrinogen Beta Chain (FGB)