antibodies - online.com







anti-ITGA2 antibody (AA 170-361)



Images



()	1 /	\sim	rv	11/	11	Α
	1//	┙	I \/	16	٦,	/\

Quantity:	100 μL	
Target:	ITGA2	
Binding Specificity:	AA 170-361	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Target:

Purpose:	Polyclonal Antibody to Integrin Alpha 2 (ITGa2)	
Immunogen:	Recombinant Integrin Alpha 2 (ITGa2) corresdonding to Pro170~Ile361 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ITGa2. It has been selected for its ability to recognize ITGa2 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Pig	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		

ITGA2


Target Details

raiget Details			
Alternative Name:	Integrin Alpha 2 (ITGA2 Products)		
Background:	CD49b, BR, GPIa, VLA-2, VLAA2, Platelet membrane glycoprotein Ia, Alpha 2 Subunit Of VLA-2 Receptor, Very Late Activation Proteins 2 Receptor, Collagen receptor, VLA-2 alpha		
Pathways:	CXCR4-mediated Signaling Events, Smooth Muscle Cell Migration, Integrin Complex		
Application Details			
Application Notes:	Western blotting: 0.5-2 μ g/mL Immunohistochemistry: 5-20 μ g/mL Immunocytochemistry: 5-20 μ g/mL Optimal working dilutions must be determined by end user.		
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.		
Expiry Date:	24 months		



Immunohistochemistry

Image 1. Detection of ITGa2 in Human Kidney Tissue using Polyclonal Antibody to Integrin Alpha 2 (ITGa2)



Western Blotting

Image 2. Detection of ITGa2 in Porcine Stomach Tissue using Polyclonal Antibody to Integrin Alpha 2 (ITGa2)

Western Blotting

Image 3. Detection of Recombinant ITGa2, Human using Polyclonal Antibody to Integrin Alpha 2 (ITGa2)