antibodies

Datasheet for ABIN7433333 anti-Androgen Receptor antibody (AA 15-246)





Overview

Quantity:	100 µL
Target:	Androgen Receptor (AR)
Binding Specificity:	AA 15-246
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Androgen Receptor antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)


Product Details

Purpose:	Polyclonal Antibody to Androgen Receptor (AR)
Immunogen:	Recombinant Androgen Receptor (AR) corresdonding to Pro15~Ser246 with N-terminal His Tag
Isotype:	lgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against AR. It has been selected for its ability to recognize AR in immunohistochemical staining and western blotting.
Cross-Reactivity:	Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7433333 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

r (AR) r (AR Products) RA, KD, NR3C4, SBMA, SMAX1, TFM, Dihydrotestosterone receptor, Nuclear
A, KD, NR3C4, SBMA, SMAX1, TFM, Dihydrotestosterone receptor, Nuclear
y 3,Group C,Member 4, Testicular Feminization, Kennedy Disease
ranscription Pathway, Intracellular Steroid Hormone Receptor Signaling
ormone Mediated Signaling Pathway, Regulation of Intracellular Steroid
Signaling, Nuclear Hormone Receptor Binding, Chromatin Binding
.5-2 μg/mL
istry: 5-20 μg/mL
stry: 5-20 μg/mL
lutions must be determined by end user.
ty is described by the loss rate. The loss rate was determined by accelerated
n test, that is, incubate the protein at 37°C for 48h, and no obvious
ecipitation were observed. The loss rate is less than 5% within the expiration
riate storage condition.
only
, containing 0.05 % Proclin-300, 50 % glycerol.
ins ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
staff only.
quent use. Stored at -20°C in a manual defrost freezer for two year without
activity. Avoid repeated freeze-thaw cycles.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7433333 | 09/09/2023 | Copyright antibodies-online. All rights reserved.



Western Blot kDa 75 50 37 ← 33kDa 25 20 15


10

Immunohistochemistry

Image 1. Detection of AR in Human Endometrial cancer Tissue using Polyclonal Antibody to Androgen Receptor (AR)

Western Blotting

Image 2. Detection of Recombinant AR, Human using Polyclonal Antibody to Androgen Receptor (AR)



Immunohistochemistry

Image 3. Detection of AR in Human Prostate Tissue using Polyclonal Antibody to Androgen Receptor (AR)

Please check the product details page for more images. Overall 4 images are available for ABIN7433333.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7433333 | 09/09/2023 | Copyright antibodies-online. All rights reserved.