antibodies - online.com







anti-Perforin 1 antibody (AA 32-316)

Images



Overview

Quantity:	100 μL
Target:	Perforin 1 (PRF1)
Binding Specificity:	AA 32-316
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Perforin 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Perforin 1 (PRF1)
Immunogen:	Recombinant Perforin 1 (PRF1) corresdonding to Lys32~Phe316 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against PRF1. It has been selected for its ability to recognize PRF1 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target:	Perforin 1 (PRF1)		
---------	-------------------	--	--

Target Details


Alternative Name:	Perforin 1 (PRF1 Products)
Background:	FLH2, HPLH2, P1, PFP, Pore Forming Protein, Cytolysin, Lymphocyte pore-forming protein
Pathways:	Apoptosis, Caspase Cascade in Apoptosis

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of PRF1 in Human Lymph node Tissue using Polyclonal Antibody to Perforin 1 (PRF1)



Western Blotting

Image 2. Detection of Recombinant PRF1, Human using Polyclonal Antibody to Perforin 1 (PRF1)