antibodies -online.com







anti-ODC1 antibody (AA 15-259)



Images



Overview

Quantity:	100 μL
Target:	ODC1
Binding Specificity:	AA 15-259
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ODC1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Ornithine Decarboxylase (ODC)
lmmunogen:	Recombinant Ornithine Decarboxylase (ODC) corresdonding to Asp15~Leu259 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against ODC. It has been selected for its ability to recognize ODC in immunohistochemical staining and western blotting.
Cross-Reactivity:	Mouse, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details


Target:	ODC1
Alternative Name:	Ornithine Decarboxylase (ODC1 Products)
Background:	ODC1

Application Details

Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of ODC in Human Liver Tissue using Polyclonal Antibody to Ornithine Decarboxylase (ODC)



Western Blotting

Image 2. Detection of ODC in Human Serum using Polyclonal Antibody to Ornithine Decarboxylase (ODC)



Western Blotting

Image 3. Detection of Recombinant ODC, Human using Polyclonal Antibody to Ornithine Decarboxylase (ODC)

Please check the product details page for more images. Overall 8 images are available for ABIN7433486.