

Datasheet for ABIN7433540  
**anti-BRCA2 antibody (AA 2308-2537)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	BRCA2
Binding Specificity:	AA 2308-2537
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BRCA2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Breast Cancer Susceptibility Protein 2 (BRCA2)
Immunogen:	Recombinant Breast Cancer Susceptibility Protein 2 (BRCA2) corresponding to Lys2308~His2537 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against BRCA2. It has been selected for its ability to recognize BRCA2 in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details

Target:	BRCA2
---------	-------

## Target Details


Alternative Name:	Breast Cancer Susceptibility Protein 2 ( <a href="#">BRCA2 Products</a> )
Background:	BRCA2, BRCC2, FACD, FAD, FAD1, FANCD, FANCD1, Breast Cancer 2, Early Onset, Breast Cancer Type 2 Susceptibility Protein, Fanconi anemia group D1 protein
Pathways:	<a href="#">DNA Damage Repair</a> , <a href="#">M Phase</a> , <a href="#">Maintenance of Protein Location</a>

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL 1:250-1000 Immunohistochemistry: 5-20 µg/mL 1:25-100 Immunocytochemistry: 5-20 µg/mL 1:25-100 Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C, -20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Western Blotting

**Image 1.** Detection of Recombinant BRCA2, Human using Polyclonal Antibody to Breast Cancer Susceptibility Protein 2 (BRCA2)