antibodies -online.com





anti-LBP antibody (AA 226-480)



Images



Go to Product page

| () | 1 / | - | rv | 1 / | 71 | A |
|--------|-----|----------|------|-----|----|-----|
| | 1// | \vdash | 1 \/ | 16 | | ۱/۱ |
| \sim | v | \sim | 1 V | ı١ | _ | V١ |

| Quantity: | 100 μL |
|----------------------|--|
| Target: | LBP |
| Binding Specificity: | AA 226-480 |
| Reactivity: | Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This LBP antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) |

Product Details

| Purpose: | Polyclonal Antibody to Lipopolysaccharide Binding Protein (LBP) | |
|-------------------|--|--|
| Immunogen: | Recombinant Lipopolysaccharide Binding Protein (LBP) corresdonding to Leu226~Arg480 (Accession # Q63313) | |
| Isotype: | IgG | |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against LBP. It has been selected for its ability to recognize LBP in immunohistochemical staining and western blotting. | |
| Cross-Reactivity: | Human | |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography | |

Target Details


| Target: | LBP | |
|-------------------|---|--|
| Alternative Name: | Lipopolysaccharide Binding Protein (LBP Products) | |
| Background: | LPS-Binding Protein | |
| Pathways: | TLR Signaling, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Positive Regulation of Immune Effector Process, Toll-Like Receptors Cascades, Monocarboxylic Acid Catabolic Process | |

Application Details

| Application Notes: | Western blotting: 0.5-2 μg/mL |
|--------------------|--|
| | 1:500-2000 Immunohistochemistry: 5-20 μg/mL |
| | 1:50-200 Immunocytochemistry: 5-20 µg/mL |
| | 1:50-200 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| | |
| | |


Handling

| Format: | Liquid |
|--------------------|---|
| Buffer: | PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. |
| Expiry Date: | 24 months |




Western Blotting

Image 1. Detection of LBP in Mouse Liver lysate using Polyclonal Antibody to Lipopolysaccharide Binding Protein (LBP)



Western Blotting

Image 2. Detection of Recombinant LBP, Rat using Polyclonal Antibody to Lipopolysaccharide Binding Protein (LBP)



Immunohistochemistry

Image 3. Detection of LBP in Rat Ovary Tissue using Polyclonal Antibody to Lipopolysaccharide Binding Protein (LBP)

Please check the product details page for more images. Overall 7 images are available for ABIN7433612.