antibodies -online.com





anti-Fibromodulin antibody (AA 19-376)





Overview


Quantity:	100 μL
Target:	Fibromodulin (FMOD)
Binding Specificity:	AA 19-376
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Fibromodulin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Fibromodulin (FMOD)
Immunogen:	Recombinant Fibromodulin (FMOD) corresdonding to Gln19~Ile376 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against FMOD. It has been selected for its ability to recognize FMOD in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Mouse
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details

Target Details	
Target:	Fibromodulin (FMOD)
Alternative Name:	Fibromodulin (FMOD Products)
Background:	SLRR2E, FM, Collagen-binding 59 kDa protein, Keratan sulfate proteoglycan fibromodulin, KSPG fibromodulin
Pathways:	Glycosaminoglycan Metabolic Process
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Immunohistochemistry

Image 1. Detection of FMOD in Rat Liver Tissue using Polyclonal Antibody to Fibromodulin (FMOD)



Western Blotting

Image 2. Detection of Recombinant FMOD, Rat using Polyclonal Antibody to Fibromodulin (FMOD)



Immunohistochemistry

Image 3. Detection of FMOD in Rat Skeletal muscle Tissue using Polyclonal Antibody to Fibromodulin (FMOD)

Please check the product details page for more images. Overall 4 images are available for ABIN7433696.