

Datasheet for ABIN7433714  
**anti-HSPE1 antibody (AA 2-102)**

## 3 Images

[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	HSPE1
Binding Specificity:	AA 2-102
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HSPE1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

## Product Details

Purpose:	Polyclonal Antibody to Heat Shock 10kDa Protein 1 (HSP10)
Immunogen:	Recombinant Heat Shock 10kDa Protein 1 (HSP10) corresponding to Ala2~Asp102 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against HSP10. It has been selected for its ability to recognize HSP10 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Human, Rat
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

## Target Details


Target:	HSPE1
Alternative Name:	Heat Shock 10kDa Protein 1 ( <a href="#">HSPE1 Products</a> )
Background:	HSPE1, CPN10, EPF, GROES, Chaperonin 10, Early Pregnancy Factor, 10 kDa heat shock protein, mitochondrial
Pathways:	<a href="#">Positive Regulation of Endopeptidase Activity</a>

## Application Details

Application Notes:	Western blotting: 0.5-2 µg/mL Immunohistochemistry: 5-20 µg/mL Immunocytochemistry: 5-20 µg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### Immunohistochemistry

**Image 1.** Detection of HSP10 in Mouse Kidney Tissue using Polyclonal Antibody to Heat Shock 10 kDa Protein 1 (HSP10)



#### Western Blotting

**Image 2.** Detection of Recombinant HSP10, Mouse using Polyclonal Antibody to Heat Shock 10 kDa Protein 1 (HSP10)



#### Immunohistochemistry

**Image 3.** Detection of HSP10 in Mouse Spleen Tissue using Polyclonal Antibody to Heat Shock 10 kDa Protein 1 (HSP10)