antibodies -online.com





anti-C4BPA antibody (AA 548-597)

2 Images



Go to	D		
	Pron	ויאווו	Dage

\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL
Target:	C4BPA
Binding Specificity:	AA 548-597
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C4BPA antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to C4 Binding Protein Alpha (C4BPa)
Immunogen:	Recombinant C4 Binding Protein Alpha (C4BPa) corresdonding to Gln548~Leu597 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against C4BPa. It has been selected for its ability to recognize C4BPa in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

Target: C4BPA

Target Details


Alternative Name:	C4 Binding Protein Alpha (C4BPA Products)
Background:	C4BP-a, PRP, C4BP, Complement Component 4 Binding Protein, Alpha, Proline-rich protein
Pathways:	Complement System

Application Details

Restrictions:	For Research Use only
	date under appropriate storage condition.
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	Optimal working dilutions must be determined by end user.
	Immunocytochemistry: 5-20 μg/mL
	Immunohistochemistry: 5-20 μg/mL
Application Notes:	Western blotting: 0.5-2 μg/mL


Handling

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant C4BPa, Human using Polyclonal Antibody to C4 Binding Protein Alpha (C4BPa)