# antibodies .- online.com





# anti-Surfactant Protein C antibody (AA 24-197)





#### Overview

Quantity:	100 μL
Target:	Surfactant Protein C (SFTPC)
Binding Specificity:	AA 24-197
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Surfactant Protein C antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

# **Product Details**


Purpose:	Polyclonal Antibody to Surfactant Protein C (SP-C)
lmmunogen:	Recombinant Surfactant Protein C (SP-C) corresdonding to Phe24~Ile197 (Accession # P11686) with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against SP-C. It has been selected for its ability to recognize SP-C in immunohistochemical staining and western blotting.
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

# **Target Details**

|--|


# **Target Details**

Alternative Name:	Surfactant Protein C (SFTPC Products)
Background:	SFTPC, PSP-C, SFTP2, SPC, SP5, Surfactant Associated Protein C, Pulmonary Surfactant
	Protein C, Pulmonary surfactant-associated proteolipid SPL(Val)
Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL
	Immunohistochemistry: 5-20 μg/mL
	Immunocytochemistry: 5-20 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




# **Immunohistochemistry**

Image 1. #VALUE!



# **Western Blotting**

**Image 2.** Detection of SP-C in Human Serum using Polyclonal Antibody to Surfactant Protein C (SP-C)



# **Western Blotting**

Image 3. Detection of Recombinant SPC, Human using Polyclonal Antibody to Surfactant Protein C (SP-C)