antibodies - online.com







anti-IGF1R antibody (AA 763-955)



Images



()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	1 V I	ew

Quantity:	100 μL
Target:	IGF1R
Binding Specificity:	AA 763-955
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IGF1R antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)


Product Details

Purpose:	Polyclonal Antibody to Insulin Like Growth Factor 1 Receptor (IGF1R)	
Immunogen:	Recombinant Insulin Like Growth Factor 1 Receptor (IGF1R) corresdonding to Tyr763~Leu955 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against IGF1R. It has been selected for its ability to recognize IGF1R in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse, Rat	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details


Target:	IGF1R	
Alternative Name:	Insulin Like Growth Factor 1 Receptor (IGF1R Products)	
Background:	CD221, IGF1-R, IGFIR, JTK13	
Pathways:	RTK Signaling, Regulation of Hormone Metabolic Process, Regulation of Hormone Biosynthetic Process, Autophagy	

	Frocess, Autophagy
Application Details	
Application Notes:	Western blotting: 0.5-5 μg/mL
	Immunohistochemistry: 5-50 μg/mL
	Immunocytochemistry: 5-50 μg/mL
	Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration
	date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without
	detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




Western Blotting

Image 1. Detection of IGF1R in Human MCF7 cell lysate using Polyclonal Antibody to Insulin Like Growth Factor 1 Receptor (IGF1R)



Western Blotting

Image 2. Detection of Recombinant IGF1R, Human using Polyclonal Antibody to Insulin Like Growth Factor 1 Receptor (IGF1R)



Immunohistochemistry

Image 3. #VALUE!