# antibodies - online.com







## anti-IGFBP7 antibody (AA 88-281)





$\sim$			
	$  \backslash / \cap$	r\/I	$\triangle V$

Quantity:	100 μL	
Target:	IGFBP7	
Binding Specificity:	AA 88-281	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IGFBP7 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	


#### **Product Details**

Purpose:	Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 7 (IGFBP7)	
Immunogen:	Recombinant Insulin Like Growth Factor Binding Protein 7 (IGFBP7) corresdonding to Lys88~Leu281 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against IGFBP7. It has been selected for its ability to recognize IGFBP7 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

### **Target Details**


#### **Target Details**

rarget Details		
Alternative Name:	Insulin Like Growth Factor Binding Protein 7 (IGFBP7 Products)	
Background:	FSTL2, IGFBP-7v, MAC25, PSF, TAF, IGFBP-rP1, MAC25 protein, Prostacyclin-stimulating factor,	
	PGI2-stimulating factor, Tumor-derived adhesion factor	
Pathways:	Growth Factor Binding	
Application Details		
Application Notes:	Western blotting: 0.5-5 μg/mL Immunocytochemistry in formalin fixed cells: 5-20 μg/mL	
	Immunohistochemistry in formalin fixed frozen section: 5-20 µg/mL Immunohistochemistry in	
	paraffin section: 5-20 µg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




#### **Immunohistochemistry**

**Image 1.** Detection of IGFBP7 in Mouse Cerebrum Tissue using Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 7 (IGFBP7)



#### **Western Blotting**

**Image 2.** Detection of IGFBP7 in Mouse Serum using Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 7 (IGFBP7)



#### **Immunohistochemistry**

**Image 3.** Detection of IGFBP7 in Mouse Liver Tissue using Polyclonal Antibody to Insulin Like Growth Factor Binding Protein 7 (IGFBP7)

Please check the product details page for more images. Overall 4 images are available for ABIN7433918.