antibodies -online.com





anti-PFKP antibody (AA 553-753)



Images



Go to Product page

| \sim | | | |
|--------|-----------------------|------|---------------|
| | $ \backslash / \cap$ | r\/I | $\triangle V$ |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | PFKP | |
| Binding Specificity: | AA 553-753 | |
| Reactivity: | Human | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This PFKP antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details


| Purpose: | Polyclonal Antibody to Phosphofructokinase, Platelet (PFKP) |
|-------------------|--|
| Immunogen: | Recombinant Phosphofructokinase, Platelet (PFKP) corresdonding to Asp553~Lys753 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against PFKP. It has been selected for its ability to recognize PFKP in immunohistochemical staining and western blotting. |
| Cross-Reactivity: | Mouse, Pig, Rat |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |

Target Details

| Target: | PFKP |
|---------------------|--|
| Alternative Name: | Phosphofructokinase, Platelet (PFKP Products) |
| Background: | PFK-C, PFKF, ATP-dependent 6-phosphofructokinase, platelet type, 6-phosphofructokinase type C, Phosphofructo-1-kinase isozyme C, Phosphohexokinase |
| Pathways: | Warburg Effect |
| Application Details | |


| Application Notes: | Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user. |
|--------------------|---|
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| D | 0.01M DD0 all 7.4 assistant 0.05 % Dasslin 000 50 % also and |

| Format: | Liquid | |
|--------------------|---|--|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |




Immunohistochemistry

Image 1. Detection of PFKP in Human Lung cancer Tissue using Polyclonal Antibody to Phosphofructokinase, Platelet (PFKP)



Western Blotting

Image 2. Detection of Recombinant PFKP, Human using Polyclonal Antibody to Phosphofructokinase, Platelet (PFKP)



Immunohistochemistry

Image 3. Detection of PFKP in Human Liver Tissue using Polyclonal Antibody to Phosphofructokinase, Platelet (PFKP)

Please check the product details page for more images. Overall 7 images are available for ABIN7434014.