
antibodies -online.com





anti-STAT2 antibody (AA 616-849)



Images



Go to Product page

\sim				
	$ V \cap$	r\/I	19	٨


Quantity:	100 μL
Target:	STAT2
Binding Specificity:	AA 616-849
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STAT2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)

Product Details

Purpose:	Polyclonal Antibody to Signal Transducer And Activator Of Transcription 2 (STAT2)
Immunogen:	Recombinant Signal Transducer And Activator Of Transcription 2 (STAT2) corresdonding to Glu616~Ser849 with N-terminal His Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against STAT2. It has been selected for its ability to recognize STAT2 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography


Target Details	
Target:	STAT2
Alternative Name:	Signal Transducer And Activator Of Transcription 2 (STAT2 Products)
Background:	ISGF-3, P113, STAT113
Pathways:	JAK-STAT Signaling, Hepatitis C, CXCR4-mediated Signaling Events
Application Details	
Application Notes:	Western blotting: 0.5-3 μ g/mL Immunohistochemistry: 5-30 μ g/mL Immunocytochemistry: 5-30 μ g/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Limited

Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	




Western Blotting

Image 1. Detection of STAT2 in Human Hela cell lysate using Polyclonal Antibody to Signal Transducer And Activator Of Transcription 2 (STAT2)



Western Blotting

Image 2. Detection of Recombinant STAT2, Human using Polyclonal Antibody to Signal Transducer And Activator Of Transcription 2 (STAT2)



Immunohistochemistry

Image 3. Detection of STAT2 in Human Kidney Tissue using Polyclonal Antibody to Signal Transducer And Activator Of Transcription 2 (STAT2)

Please check the product details page for more images. Overall 7 images are available for ABIN7434083.