# antibodies -online.com





## anti-FGFR3 antibody (AA 166-375)



## **Images**



( )	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	FGFR3	
Binding Specificity:	AA 166-375	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FGFR3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

## **Product Details**


Purpose:	Polyclonal Antibody to Fibroblast Growth Factor Receptor 3 (FGFR3)	
Immunogen:	Recombinant Fibroblast Growth Factor Receptor 3 (FGFR3) corresdonding to Val166~Gly375 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against FGFR3. It has been selected for its ability to recognize FGFR3 in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Mouse	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

## Target Details

Target:	FGFR3	
Alternative Name:	Fibroblast Growth Factor Receptor 3 (FGFR3 Products)	
Background:	CD333, ACH, CEK2, JTK4, Achondroplasia, Thanatophoric Dwarfism	
Pathways:	RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Stem Cell Maintenance, Growth Factor Binding	


Application Details	
Application Notes:	Western blotting: 0.5-2 μg/mL Immunohistochemistry: 5-20 μg/mL Immunocytochemistry: 5-20 μg/mL Optimal working dilutions must be determined by end user.
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.

Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months




#### **Immunohistochemistry**

**Image 1.** Detection of FGFR3 in Human Skin cancer Tissue using Polyclonal Antibody to Fibroblast Growth Factor Receptor 3 (FGFR3)



#### **Western Blotting**

**Image 2.** Detection of FGFR3 in Mouse Placenta Tissue using Polyclonal Antibody to Fibroblast Growth Factor Receptor 3 (FGFR3)



## **Western Blotting**

**Image 3.** Detection of Recombinant FGFR3, Human using Polyclonal Antibody to Fibroblast Growth Factor Receptor 3 (FGFR3)

Please check the product details page for more images. Overall 5 images are available for ABIN7434086.