antibodies -online.com







anti-JAG1 antibody (AA 826-1084)





| _ | | | | | |
|---|---|----|---|----|---|
| U | V | er | V | Ie | W |

| Quantity: | 100 μL | |
|----------------------|--|--|
| Target: | JAG1 | |
| Binding Specificity: | AA 826-1084 | |
| Reactivity: | Mouse | |
| Host: | Rabbit | |
| Clonality: | Polyclonal | |
| Conjugate: | This JAG1 antibody is un-conjugated | |
| Application: | Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC) | |

Product Details

| Purpose: | Polyclonal Antibody to Jagged 1 (JAG1) |
|----------------|--|
| Immunogen: | Recombinant Jagged 1 (JAG1) corresdonding to Ser826~Cys1084 with N-terminal His Tag |
| Isotype: | IgG |
| Specificity: | The antibody is a rabbit polyclonal antibody raised against JAG1. It has been selected for its ability to recognize JAG1 in immunohistochemical staining and western blotting. |
| Purification: | Antigen-specific affinity chromatography followed by Protein A affinity chromatography |
| Target Details | |
| Target: | JAG1 |


Target Details

| Alternative Name: | Jagged 1 (JAG1 Products) |
|--|---|
| Background: | CD339, AGS, AHD, AWS, HJ1, JAGL1, Alagille Syndrome, Jagged 1 Protein |
| Pathways: Notch Signaling, Stem Cell Maintenance | |

Application Details


| Application Notes: | Western blotting: 0.5-2 μg/mL |
|--------------------|--|
| | 1:160-640 Immunohistochemistry: 5-20 μg/mL |
| | 1:16-64 Immunocytochemistry: 5-20 µg/mL |
| | 1:16-64 Optimal working dilutions must be determined by end user. |
| Comment: | The thermal stability is described by the loss rate. The loss rate was determined by accelerated |
| | thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious |
| | degradation and precipitation were observed. The loss rate is less than 5% within the expiration |
| | date under appropriate storage condition. |
| Restrictions: | For Research Use only |
| | |
| Handling | |

| Format: | Liquid | |
|--------------------|---|--|
| Buffer: | 0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 24 months | |



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image 2. Detection of Recombinant JAG1, Mouse using Polyclonal Antibody to Jagged 1 (JAG1)