antibodies -online.com





anti-NFkB antibody (AA 352-439)



Images



Go to Product page

-						
O	V	e	rv	1	е	W

Quantity:	100 μL	
Target:	NFkB	
Binding Specificity:	AA 352-439	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NFkB antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	

Product Details


Purpose:	Polyclonal Antibody to Nuclear Factor Kappa B (NFkB)	
Immunogen:	Recombinant Nuclear Factor Kappa B (NFkB) corresdonding to Gln352~Phe439 with N-terminal His and GST Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against NFkB. It has been selected for its ability to recognize NFkB in immunohistochemical staining and western blotting.	
Cross-Reactivity:	Human, Mouse, Pig	
Purification:	ication: Antigen-specific affinity chromatography followed by Protein A affinity chromatography	

Target Details

Target Details		
Target:	NFkB	
Alternative Name:	Nuclear Factor Kappa B (NFkB Products)	
Background:	NF-KB1, EBP-1, KBF1, NF-Kappa-B, NFKB-P105, NFKB-P50, Nuclear Factor Of Kappa Light	
	Polypeptide Gene Enhancer In B-Cells 1, Nuclear factor NF-kappa-B p105 subunit	
Pathways:	Ubiquitin Proteasome Pathway, S100 Proteins	
Application Details		
Application Notes:	Western blotting: 0.5-5 μg/mL	
	Immunohistochemistry: 5-50 μg/mL	
	Immunocytochemistry: 5-50 μg/mL	
	Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
	thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
	degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
	date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
	detectable loss of activity. Avoid repeated freeze-thaw cycles.	


24 months

Expiry Date:




Western Blotting

Image 1. Detection of NFkB in MCF7 cell lysate using Polyclonal Antibody to Nuclear Factor Kappa B (NFkB)



Western Blotting

Image 2. Detection of Recombinant NFkB, Rat using Polyclonal Antibody to Nuclear Factor Kappa B (NFkB)



Immunohistochemistry

Image 3. Detection of NFkB in Porcine Spleen Tissue using Polyclonal Antibody to Nuclear Factor Kappa B (NFkB)

Please check the product details page for more images. Overall 6 images are available for ABIN7434143.