antibodies - online.com







anti-APOC3 antibody (AA 21-99)





Go to	Prod	luct	pade

_					
U	V	er	VI	е	W

Quantity:	100 μL
Target:	APOC3
Binding Specificity:	AA 21-99
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This APOC3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Purpose:	Polyclonal Antibody to Apolipoprotein C3 (APOC3)
Immunogen:	Recombinant Apolipoprotein C3 (APOC3) corresdonding to Ser21~Ala99 with N-terminal His and GST Tag
Isotype:	IgG
Specificity:	The antibody is a rabbit polyclonal antibody raised against APOC3. It has been selected for its ability to recognize APOC3 in immunohistochemical staining and western blotting.
Cross-Reactivity:	Pig
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography

Target Details

rarget Details	
Target:	APOC3
Alternative Name:	Apolipoprotein C3 (APOC3 Products)
Background:	Apo-C3, APOCIII, APOC-III
Pathways:	Carbohydrate Homeostasis, Lipid Metabolism
Application Details	
Application Notes:	Western blotting: 1-5 μg/mL Immunocytochemistry in formalin fixed cells: 5-20 μg/mL Immunohistochemistry in formalin fixed frozen section: 5-20 μg/mL Immunohistochemistry in

working dilutions must be determined by end user.

Comment:

The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.


paraffin section: 5-20 µg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 µg/mL Optimal

Restrictions:

For Research Use only


Handling

Hariding	
Format:	Liquid
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.
Expiry Date:	24 months



Immunohistochemistry

Image 1. Detection of APOC3 in Human Liver Tissue using Polyclonal Antibody to Apolipoprotein C3 (APOC3)



Western Blotting

Image 2. Detection of Recombinant APOC3, Human using Polyclonal Antibody to Apolipoprotein C3 (APOC3)