antibodies -online.com





anti-ADAMTS7 antibody (AA 1589-1686)

2 Images




Go to Product page

\sim					
	1//6	r	V I	Θ	Λ

Overview		
Quantity:	100 μL	
Target:	ADAMTS7	
Binding Specificity:	AA 1589-1686	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ADAMTS7 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	
Product Details		
Purpose:	Polyclonal Antibody to A Disintegrin And Metalloproteinase With Thrombospondin 7 (ADAMTS7)	
Immunogen:	Recombinant A Disintegrin And Metalloproteinase With Thrombospondin 7 (ADAMTS7) corresdonding to Val1589~Arg1686 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	The antibody is a rabbit polyclonal antibody raised against ADAMTS7. It has been selected for its ability to recognize ADAMTS7 in immunohistochemical staining and western blotting.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	


Target Details

ADAMTS7	
A Disintegrin And Metalloproteinase With Thrombospondin 7 (ADAMTS7 Products)	
COMPase	
Western blotting: 0.5-2 μg/mL Immunocytochemistry in formalin fixed cells: 5-20 μg/mL	
Immunohistochemistry in formalin fixed frozen section: 5-20 μg/mL Immunohistochemistry in	
paraffin section: 5-20 μg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μg/mL Optimal	
working dilutions must be determined by end user.	
The thermal stability is described by the loss rate. The loss rate was determined by accelerated	
thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious	
degradation and precipitation were observed. The loss rate is less than 5% within the expiration	
date under appropriate storage condition.	
For Research Use only	
Liquid	
0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
4 °C,-20 °C	
Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without	
detectable loss of activity. Avoid repeated freeze-thaw cycles.	
24 months	



Immunohistochemistry

Image 1. #VALUE!



Western Blotting

Image2. Detection of Recombinant ADAMTS7, HumanusingPolyclonal Antibody to A Disintegrin AndMetalloproteinase With Thrombospondin 7 (ADAMTS7)