

Datasheet for ABIN7434473 anti-IL-33 antibody (AA 110-261)

1 Image




Go to Product page

\sim				
()	Ive	r\ /	\cap	Λ.
\cup	$\lor \subset$	I V I	\Box	٧V

Quantity:	100 μL	
Target:	IL-33 (IL33)	
Binding Specificity:	AA 110-261	
Reactivity:	Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This IL-33 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP), Immunocytochemistry (ICC)	
Product Details		
Purpose:	Polyclonal Antibody to Interleukin 33 (IL33)	
Immunogen:	Recombinant Interleukin 33 (IL33) corresdonding to Ile110~Leu261 with N-terminal His Tag	
Isotype:	IgG	
Specificity:	IgG The antibody is a rabbit polyclonal antibody raised against IL33. It has been selected for its ability to recognize IL33 in immunohistochemical staining and western blotting.	
	The antibody is a rabbit polyclonal antibody raised against IL33. It has been selected for its	
Specificity:	The antibody is a rabbit polyclonal antibody raised against IL33. It has been selected for its ability to recognize IL33 in immunohistochemical staining and western blotting.	
Specificity: Purification:	The antibody is a rabbit polyclonal antibody raised against IL33. It has been selected for its ability to recognize IL33 in immunohistochemical staining and western blotting.	

Target Details

l arget Details		
Alternative Name:	IL33 (IL33 Products)	
Background:	DV27, C90RF26, IL1F11, NFHEV, Interleukin-1 Family, Member 11, Nuclear factor from high endothelial venules	
UniProt:	Q66H70	
Pathways:	Production of Molecular Mediator of Immune Response	
Application Details		
Application Notes:	Western blotting: $0.5-2~\mu g/m L$,Immunohistochemistry: $5-20~\mu g/m L$,Immunocytochemistry: $5-20~\mu g/m L$,Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	0.5 mg/mL	
Buffer:	PBS, pH 7.4, containing 0.02 % Sodium azide, 50 % glycerol.	
Preservative:	ProClin, Sodium azide	
Precaution of Use:	This product contains ProClin and Sodium azide: POISONOUS AND HAZARDOUS SUBSTANCES which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of Recombinant IL33, Rat using Polyclonal Antibody to Interleukin 33 (IL33)